

# ALT6600A-GH

[Home](#) [Product](#) [Lighting Towers](#) [ALT6600A-GH](#)



## Product model: ALT6600A-GH

Lighting power: 4x1000W

Dimension (fully retracted): 3232x1478x2472 mm

Dimension(fully extended): 3232x1478x2472 mm

Engine model: D905-BG

Controller: PLC

[Specifications download](#)

[Brochure download](#)

<b>Basic parameters</b>	
<b>Dimension (fully retracted): mm</b>	3232x1478x2472
<b>Dimension(fully extended): mm</b>	3232x1478x2472
<b>Weight: kg</b>	1500
<b>Maximum towing speed: km/h</b>	20 km/h
<b>Maximum wind speed rating km/h</b>	75 km/h
<b>Voltage ( 50HZ ) V</b>	230-240V(50Hz)
<b>Voltage ( 60HZ ) V</b>	230-240V(50Hz)
<b>Ampere ( 50HZ ) A</b>	27.5-28.7A(50Hz)
<b>Ampere ( 60HZ ) A</b>	27.5-30.0A(60Hz)

<b>Engine / Alternator</b>	
<b>Rated output KVA/KW</b>	6.6kVA/5.3kW
<b>Engine brand</b>	Kubota

<b>Engine model</b>	D905-BG
<b>Frequency HZ</b>	50/60
<b>Speed RPM</b>	1500/1800
<b>No. of cylinders</b>	3
<b>Engine aspiration</b>	Natural aspiration
<b>Alternator insulation</b>	H
<b>Lighting power kw</b>	4x1000W
<b>Mast extension</b>	Auto
<b>Lighting tilt</b>	Auto
<b>Stabilizing Legs</b>	Auto
<b>Mast rotation</b>	359°
<b>Protection class</b>	IP23
<b>Noise level @7m DBA</b>	62.65dB(A)
<b>Controller</b>	PLC

## **Navigation**

[Home](#)  
[Why PowerLink?](#)  
[Solution](#)  
[Product](#)  
[Service & Parts](#)  
[Community](#)  
[Support](#)

## **Diesel Generator Sets**

[50HZ Diesel Generator Sets](#)  
[60HZ Diesel Generator Sets](#)  
[Specialized market for Genset](#)  
[Diesel Generator Sets Solution](#)  
[Service & Parts](#)

## **Gas Energy Products**

[Gas Generator Sets](#)  
[Cogeneration Sets](#)  
[Supporting equipment](#)  
[Gas Energy Solution](#)  
[Data Download](#)

## **Air Compressors**

[Portable Compressors](#)  
[Motor Driven Compressors](#)  
[Diesel Driven Compressors](#)  
[Air Treatment](#)  
[Air Compressors Solution](#)