

ALT6600A-FG

[Home](#) [Product](#) [Lighting Towers](#) [ALT6600A-FG](#)



Product model: ALT6600A-FG

Lighting power: 4x1000

Dimension (fully retracted): 2521x1530x2080 mm

Dimension(fully extended): 2521x1530x9400 mm

Engine model: D1105-BG

Controller: PLC

[Specifications download](#)

[Brochure download](#)

Basic parameters

Dimension (fully retracted): mm	2521x1530x2080
Dimension(fully extended): mm	2521x1530x9400
Weight: kg	2081
Maximum towing speed: km/h	/
Maximum wind speed rating km/h	75km/h
Voltage (50HZ) V	230V-240V(50Hz)
Voltage (60HZ) V	220V-240V(60Hz)
Ampere (50HZ) A	15.9A-16.6A(50Hz)
Ampere (60HZ) A	15.9A-17.3A(60Hz)

Engine / Alternator

Rated output KVA/KW	6.6kVA/5.3kW
Engine brand	Kubota
Engine model	D1105-BG
Frequency HZ	50/60
Speed RPM	1500/1800

No. of cylinders	3
Engine aspiration	Natural aspiration
Alternator insulation	H
Lighting power kw	4x1000
Mast extension	Auto
Lighting tilt	Auto
Stabilizing Legs	Manually
Mast rotation	359°
Protection class	IP23
Noise level @7m DBA	62.65dB(A)
Controller	PLC

Navigation

[Home](#)
[Why PowerLink?](#)
[Solution](#)
[Product](#)
[Service & Parts](#)
[Community](#)
[Support](#)

Diesel Generator Sets

[50HZ Diesel Generator Sets](#)
[60HZ Diesel Generator Sets](#)
[Specialized market for Genset](#)
[Diesel Generator Sets Solution](#)
[Service & Parts](#)

Gas Energy Products

[Gas Generator Sets](#)
[Cogeneration Sets](#)
[Supporting equipment](#)
[Gas Energy Solution](#)
[Data Download](#)

Air Compressors

Portable Compressors

Motor Driven Compressors

Diesel Driven Compressors

Air Treatment

Air Compressors Solution