

# ALT6600A-G

[Home](#) [Product](#) [Lighting Towers](#) [ALT6600A-G](#)



## Product model: ALT6600A-G

Lighting power: 4x1000W

Dimension (fully retracted): 3076x1509x2429 mm

Dimension(fully extended): 3076x2603x9476 mm

Engine model: D905-BG

Controller: PLC

[Specifications download](#)

[Brochure download](#)

<b>Basic parameters</b>	
<b>Dimension (fully retracted): mm</b>	3076x1509x2429
<b>Dimension(fully extended): mm</b>	3076x2603x9476
<b>Weight: kg</b>	1386
<b>Maximum towing speed: km/h</b>	20km/h
<b>Maximum wind speed rating km/h</b>	75km/h
<b>Voltage ( 50HZ ) V</b>	230-240V(50Hz)
<b>Voltage ( 60HZ ) V</b>	220-240V(60Hz)
<b>Ampere ( 50HZ ) A</b>	27.5-28.7A(50Hz)
<b>Ampere ( 60HZ ) A</b>	27.5-30.0A(60Hz)

<b>Engine / Alternator</b>	
<b>Rated output KVA/KW</b>	6.6kVA/5.3kW
<b>Engine brand</b>	Kubota

<b>Engine model</b>	D905-BG
<b>Frequency HZ</b>	50/60
<b>Speed RPM</b>	1500/1800
<b>No. of cylinders</b>	3
<b>Engine aspiration</b>	Natural aspiration
<b>Alternator insulation</b>	H
<b>Lighting power kw</b>	4x1000W
<b>Mast extension</b>	Auto
<b>Lighting tilt</b>	Auto
<b>Stabilizing Legs</b>	Manually
<b>Mast rotation</b>	359°
<b>Protection class</b>	IP23
<b>Noise level @7m DBA</b>	62.65dB(A)
<b>Controller</b>	PLC

## **Navigation**

[Home](#)

[Why PowerLink?](#)

[Solution](#)

[Product](#)

[Service & Parts](#)

[Community](#)

[Support](#)

## **Diesel Generator Sets**

[50HZ Diesel Generator Sets](#)

[60HZ Diesel Generator Sets](#)

[Specialized market for Genset](#)

[Diesel Generator Sets Solution](#)

[Service & Parts](#)

## **Gas Energy Products**

[Gas Generator Sets](#)

[Cogeneration Sets](#)

[Supporting equipment](#)

[Gas Energy Solution](#)

[Data Download](#)

## **Air Compressors**

[Portable Compressors](#)

[Motor Driven Compressors](#)

[Diesel Driven Compressors](#)

[Air Treatment](#)

[Air Compressors Solution](#)