

ALT6600M-E

[Home](#) [Product](#) [Lighting Towers](#) [ALT6600M-E](#)



Product model: **ALT6600M-E**

Lighting power: 4x1000W

Dimension (fully retracted): 4498×1462×1939 mm

Dimension(fully extended): 3768×2962×9500 mm

Engine model: D905-BG

Controller: PLC

[Specifications download](#)

[Brochure download](#)

Basic parameters	
Dimension (fully retracted): mm	4498×1462×1939
Dimension(fully extended): mm	3768×2962×9500
Weight: kg	957
Maximum towing speed: km/h	20km/h
Maximum wind speed rating km/h	75 km/h
Voltage (50HZ) V	230-240V(50Hz)
Voltage (60HZ) V	220V-240V(60Hz)
Ampere (50HZ) A	27.5A-28.7A(50Hz)
Ampere (60HZ) A	27.5A-30A(60Hz)

Engine / Alternator	
Rated output KVA/KW	6.6KVA/5.3KW
Engine brand	Kubota

Engine model	D905-BG
Frequency HZ	50/60
Speed RPM	1500/1800
No. of cylinders	3
Engine aspiration	Natural aspiration
Alternator insulation	H
Lighting power kw	4x1000W
Mast extension	Manually
Lighting tilt	Manually
Stabilizing Legs	Manually
Mast rotation	359°
Protection class	IP22
Noise level @7m DBA	67dB(A)
Controller	PLC

Navigation

[Home](#)
[Why PowerLink?](#)
[Solution](#)
[Product](#)
[Service & Parts](#)
[Community](#)
[Support](#)

Diesel Generator Sets

[50HZ Diesel Generator Sets](#)
[60HZ Diesel Generator Sets](#)
[Specialized market for Genset](#)
[Diesel Generator Sets Solution](#)
[Service & Parts](#)

Gas Energy Products

[Gas Generator Sets](#)
[Cogeneration Sets](#)
[Supporting equipment](#)
[Gas Energy Solution](#)
[Data Download](#)

Air Compressors

[Portable Compressors](#)
[Motor Driven Compressors](#)
[Diesel Driven Compressors](#)
[Air Treatment](#)
[Air Compressors Solution](#)