

ALT8000A-S

[Home](#) [Product](#) [Lighting Towers](#) [ALT8000A-S](#)



Product model: **ALT8000A-S**

Lighting power: 4x1500W

Dimension (fully retracted): 3256×1509×2301 mm

Dimension(fully extended): 3256×2606×9450 mm

Engine model: D1105-BG

Controller: PLC

[Specifications download](#)

[Brochure download](#)

Basic parameters	
Dimension (fully retracted): mm	3256×1509×2301
Dimension(fully extended): mm	3256×2606×9450
Weight: kg	1314
Maximum towing speed: km/h	75km/h
Maximum wind speed rating km/h	75km/h
Voltage (50HZ) V	230-240V(50Hz)
Voltage (60HZ) V	220-240V(60Hz)
Ampere (50HZ) A	41.6A-43.7A(50Hz)
Ampere (60HZ) A	41.6A-45.4A(60Hz)

Engine / Alternator	
Rated output KVA/KW	10kVA/8kW
Engine brand	Kubota

Engine model	D1105-BG
Frequency HZ	50/60
Speed RPM	1500/1800
No. of cylinders	3
Engine aspiration	Natural Aspiration
Alternator insulation	H
Lighting power kw	4x1500W
Mast extension	Auto
Lighting tilt	Auto
Stabilizing Legs	Manually
Mast rotation	359°
Protection class	IP23
Noise level @7m DBA	62.65dB(A)
Controller	PLC

Navigation

[Home](#)

[Why PowerLink?](#)

[Solution](#)

[Product](#)

[Service & Parts](#)

[Community](#)

[Support](#)

Diesel Generator Sets

[50HZ Diesel Generator Sets](#)

[60HZ Diesel Generator Sets](#)

[Specialized market for Genset](#)

[Diesel Generator Sets Solution](#)

[Service & Parts](#)

Gas Energy Products

[Gas Generator Sets](#)

[Cogeneration Sets](#)

[Supporting equipment](#)

[Gas Energy Solution](#)

[Data Download](#)

Air Compressors

[Portable Compressors](#)

[Motor Driven Compressors](#)

[Diesel Driven Compressors](#)

[Air Treatment](#)

[Air Compressors Solution](#)